

Maharashtra State Electricity Distribution Co. Ltd.

PDF Type : Vendor Registration

Generated On:31-Aug-2012 07:53:34 PM

Kindly go through the details. In case of any problems/issues related to reported data,email to msebsupport@mkcl.org

COMPANY-DETAILS

COMPANY-NAME	FINECAB WIRES & CABLES PRIVATE LIMITED
REGISTRATION-NO	01-21637 OF 1995-96
COMPANY-REG-CERTIFICATE	
COMPANY-TYPE	Private Limited
PARTNERSHIP-DEED-COPY	
REGISTRATION-TYPE	Manufacturer
ADDRESS	2-3-465/7, MINISTER ROAD, SECUNDERABAD
CITY	SECUNDERABAD
DISTRICT	MEDAK
STATE	ANDHRA PRADESH
COUNTRY	INDIA
PINCODE	500003
TELEPHONE1	091-040-27818908
TELEPHONE2	091-040-27816588
FAX1	091-040-27721916
FAX2	
E-MAIL	rinirajmumbai@gmail.com

MANAGEMENT-DETAILS

CONTACT-POSITION	Director
NAME	RAMNIVAS BHUTADA
DESIGNATION	MANAGING DIRECTOR
ADDRESS	2-3-465/7, MINISTER ROAD, SECUNDERABAD
CITY	SECUNDERABAD
STATE	ANDHRA PRADESH
DISTRICT	MEDAK
COUNTRY	INDIA
PINCODE	500003
TELEPHONE1	091-040-27818908
TELEPHONE2	091-040-27816588
FAXNO-1	091-040-27721916
FAXNO-2	
MOBILE-NO	
EMAIL	rinirajmumbai@gmail.com
CONTACT-POSITION	Director
NAME	SHAKUNTALA BHUTADA
DESIGNATION	DIRECTOR
ADDRESS	2-3-465/7, MINISTER ROAD, SECUNDERABAD
CITY	SECUNDERABAD
STATE	ANDHRA PRADESH

DISTRICT	MEDAK
COUNTRY	INDIA
PINCODE	500003
TELEPHONE1	091-040-27818908
TELEPHONE2	091-040-27816588
FAXNO-1	091-040-27721916
FAXNO-2	
MOBILE-NO	
EMAIL	rinirajmumbai@gmail.com
CONTACT-POSITION	Director
NAME	BRIJGOPAL BHUTADA
DESIGNATION	JT. MANAGING DIRECTOR
ADDRESS	2-3-465/7, MINISTER ROAD, SECUNDERABAD
CITY	SECUNDERABAD
STATE	ANDHRA PRADESH
DISTRICT	MEDAK
COUNTRY	INDIA
PINCODE	500003
TELEPHONE1	091-040-27818908
TELEPHONE2	091-040-27816588
FAXNO-1	091-040-27721916
FAXNO-2	
MOBILE-NO	
EMAIL	rinirajmumbai@gmail.com

MUMBAI-CONTACT-DETAILS

CONTACT-POSITION	MumbaiContact
NAME	RAJENDRA KUMAR GANGWAL
DESIGNATION	
ADDRESS	A-101, MADHUMILAN BLDG OPP DEVKI NAGAR EKSAR ROAD BORIVALI WEST
CITY	Mumbai
STATE	MAHARASHTRA
DISTRICT	MUMBAI-CITY
COUNTRY	INDIA
PINCODE	400103
TELEPHONE1	91-022-28950278
TELEPHONE2	
FAX1	91-022-28943561
FAX2	
MOBILE-NO	09322287070
E-MAIL	rkgangwal@gmail.com

DIGITAL-SIGNATURE-HOLDER-DETAILS

CONTACT-POSITION	DigitalSignature
NAME	DAVID RAJU GANGEPOGU

DESIGNATION	MANAGER SALES
ADDRESS	
CITY	
STATE	
DISTRICT	
COUNTRY	
PINCODE	
TELEPHONE1	
TELEPHONE2	
FAX1	
FAX2	
MOBILE-NO	
E-MAIL	rinirajmumbai@gmail.com

EXPERIENCE-DETAILS

MANUFACTURING-EXPERIENCE	17 Years 0 Months
DESIGN-EXPERIENCE	17 Years 0 Months
TESTING-EXPERIENCE	17 Years 0 Months
SUPPLY-EXPERIENCE	17 Years 0 Months

FINANCIAL-DETAILS

STATE-SALESTAX-NO	28500199448
CENTRAL-SALESTAX-NO	PJI/08/1/2080/97-98
PAN	AAACF4141Q
PANCARD	

TURNOVER-DETAILS

TURNOVER-YEAR 2012	0 (IN LAKHS)
TURNOVER-YEAR 2011	4343 (IN LAKHS)
TURNOVER-YEAR 2010	5463 (IN LAKHS)
TURNOVER-YEAR 2009	7196 (IN LAKHS)
TURNOVER-YEAR 2008	8292 (IN LAKHS)

PROFIT-LOSS-CERTIFICATES

PLYEAR 2011	
PLYEAR 2010	

BALANCE-SHEET-CERTIFICATES

BLSYEAR 2011	
BLSYEAR 2010	

FACTORY-DETAILS

FACTORY-NAME	FINECAB WIRES AND CABLES PRIVATE LIMITED
--------------	--

FACTORY-ADDRESS	6 AND 20, PHASE-IV, IDA, PATANCHERU
COUNTRY	INDIA
STATE	ANDHRA PRADESH
DISTRICT	MEDAK
CITY	PATANCHERU
PINCODE	502319
FACTORY-LICENSE-NO	31303
FACTORY-ESTABLISHMENT	06-07-1995 12:00 AM
FACTORY-VALIDITY	31-12-2050 12:00 AM
NOT-APPLICABLE	
MAN-POWER	84
FACTORY-LICENSE	
INSPECTION-REPORT-NO	
FACTORY-MACHINE-LIST	

FACTORY CONTACT DETAILS

NAME	DAVID RAJU GANGEPOGU
FACTORY-NAME	FINECAB WIRES AND CABLES PRIVATE LIMITED
ADDRESS	6 AND 20, PHASE-IV, IDA, PATANCHERU
COUNTRY	INDIA
STATE	ANDHRA PRADESH
DISTRICT	MEDAK
CITY	PATANCHERU
PINCODE	502319
TELEPHONE-1	091-08455-242095
TELEPHONE-2	
FAX-1	091-08455-242007
FAX-2	
DESIGNATION	MANAGER SALES
DEPARTMENT	
MOBILE	09885120052
EMAIL	finecabwires@gmail.com

MANUFACTURING-DETAILS

ITEM-NAME	1100 Volt Grade stranded Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 10 sq.mm.Twin Core Flat with 7 strands conforming to IS 694/1990 amended uptodate
QUANTITY-PER-MANMONTH	5000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	

ITEM-NAME	1100 Volt Grade stranded Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 4 sq.mm.Twin Core Flat with 3 strands conforming to IS 694/1990 amended upto date and as per MSEDCL technical specification Annexure D and bearing ISI mark
QUANTITY-PER-MANMONTH	5000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100 Volt Grade Solid Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 2.5 sq.mm.Twin Core Flat conforming to IS 694/1990 amended upto date and as per MSEDCL technical specification Annexure D and bearing ISI mark
QUANTITY-PER-MANMONTH	5000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100 Volt Grade Solid Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 1.5 sq.mm.Twin Core Flat as per IS 694/1990 amended upto date and as per MSEDCL technical specification Annexure D and bearing ISI mark
QUANTITY-PER-MANMONTH	5000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	L T XLPE Cable 3.5x300Sq.mm.Arm
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	LT,XLPE Cable 3.5x240Sq.mm.Arm
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	L T XLPE Cable 3.5x185Sq.mm.Arm
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	L T XLPE Cable 3.5x120Sq.mm.Arm
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	L T XLPE Cable 3.5x70 Sq.mm.Arm
QUANTITY-PER-MANMONTH	50

TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	L.T.XLPE Cable Single C,400SM.
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	XLPE CABLE LT ALARD 1Cx630 SQMM
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	LT XLPE UNARMoured 1 C X 50 SQMM CABLE
QUANTITY-PER-MANMONTH	50
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 3.5C X 50SQ.MM. AL.ARMoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 3.5C X 35SQ.MM. AL.ARMoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 4C X 16SQ.MM. AL.ARMoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 2C X 16SQ.MM. AL.ARMoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	LT POWER CABLE AR AL 2CX50SQMM
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.

INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.19x2.5Sq.mm
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.16x2.5Sq.mm
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.14x2.5Sq.mm
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 12x2.5Sq.mm Armoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.10x2.5Sq.mm
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 7x2.5Sq.mm Armoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL.1.1KV Cu..Arm..4X2.5 Sq.mm.
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 4x2.5Sq.mm Armoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 2Cx2.5 sq.mm. Armoured

QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 19Cx2.5 sq.mm. Unarmoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	Cntl.Cable 16C x2.5 Sqmm.Cu/UA
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL,1.1KV,Cu.UA 14x2.5 Sq.mm
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 12Cx2.5 sq.mm. Unarmoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL,1.1KV,Cu.UA 10x2.5 Sq.mm
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 7C x 2.5 sq.mm. unarmoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL,1.1KV,Cu.UA 5x2.5 Sq.mm.
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 4C x 2.5 sq.mm. unarmoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)

INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	1100V LT Control Cable with stranded untinned copper conductor size 2C x 2.5 sq.mm. unarmoured
QUANTITY-PER-MANMONTH	100
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	Cntl.Cable 4C x10Sqmm. Alu/Arm
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	C.CBL.1.1KV.AL.Arm.2x10 Sq.mm.
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	Cntl.Cable 4C x10 Sqmm. UA/Alu
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	Cntl.Cable 2C x10 Sqmm.UA/Alu.
QUANTITY-PER-MANMONTH	100000
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 33KV 3C X 300 SQMM
QUANTITY-PER-MANMONTH	10
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	33 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 22KV 3C X 300 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	22 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM
QUANTITY-PER-MANMONTH	15

TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE Cable 22 KV, 3CX185 Sq.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	22 KV H.T. TR XLPE CABLE 3 CORE 185 SQ.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 11KV 3C X 300 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 11KV 3C X 240 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 240 SQ.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 11KV 3C X 185 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 185 SQ.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 11KV 3CORE X 95 SQMM
QUANTITY-PER-MANMONTH	15

TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 95 SQ.MM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 22KV 3C X 240 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 22KV 3C X 95 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 11KV 3C X 400 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	
ITEM-NAME	HT XLPE CABLE 11KV 3C X 50 SQMM
QUANTITY-PER-MANMONTH	15
TURNOVER-PER-YEAR	0 (IN LAKHS)
INDUSTRY-LICENSE-NO	N.A.
INDUSTRY-LICENSE-CERTIFICATE	

SSI-DETAILS

IS-PERMANENT	YES
AUTHORITY-NAME	GOVERNMENT OF ANDHRA PRADESH
SSI-REGISTRATION-NO	28-004-12-00329-PART-II
REGISTRATION-DATE	09-APR-2009
EXPIRY-DATE	
COMMENCEMENT-DATE	
UNDER-RENEWAL	NO
SSI-CERTIFICATE	

SSI-ITEMS-DETAILS

Sr No	Item Name	Item Code
1	L.T.XLPE Cable Single C,400SM.	11212405015
2	L T XLPE Cable 3.5x70 Sq.mm.Arm	11212422025
3	L T XLPE Cable 3.5x120Sq.mm.Arm	11212423005

4	L T XLPE Cable 3.5x185Sq.mm.Arm	11212424075
5	LT,XLPE Cable 3.5x240Sq.mm.Arm	11212425045
6	L T XLPE Cable 3.5x300Sq.mm.Arm	11212426015
7	HT XLPE CABLE 11KV 3C X 50 SQMM	11232414085
8	HT XLPE CABLE 11KV 3CORE X 95 SQMM	11232415565
9	HT XLPE CABLE 11KV 3C X 185 SQMM	11232416535
10	HT XLPE CABLE 11KV 3C X 240 SQMM	11232417515
11	HT XLPE CABLE 11KV 3C X 300 SQMM	11232418075
12	HT XLPE CABLE 11KV 3C X 400 SQMM	11232418585
13	HT XLPE CABLE 22KV 3C X 95 SQMM	11242415505
14	HT XLPE CABLE 22KV 3C X 240 SQMM	11242417545
15	HT XLPE CABLE 22KV 3C X 300 SQMM	11242418015
16	HT XLPE CABLE 33KV 3C X 300 SQMM	11252418045
17	1100V LT Control Cable with Stranded untinned copper conductor size 4C x 2.5 sq.mm. unarmoured	11313131085
18	C.CBL,1.1KV,Cu.UA 5x2.5 Sq.mm.	11313134005
19	1100V LT Control Cable with stranded untinned copper conductor size 2C x 2.5 sq.mm. unarmoured	11313136045
20	1100V LT Control Cable with Stranded untinned copper conductor size 7C x 2.5 sq.mm. unarmoured	11313138095
21	C.CBL,1.1KV,Cu.UA 10x2.5 Sq.mm	11313141045
22	1100V LT Control Cable with Stranded untinned copper conductor size 12Cx2.5 sq.mm. Unarmoured	11313146015
23	C.CBL,1.1KV,Cu.UA 14x2.5 Sq.mm	11313151015
24	Cntl.Cable 16C x2.5 Sqmm.Cu/UA	11313156075
25	1100V LT Control Cable with Stranded untinned copper conductor size 19Cx2.5 sq.mm. Unarmoured	11313161075
26	Cntl.Cable 2C x10 Sqmm.UA/Alu.	11313207595
27	Cntl.Cable 4C x10 Sqmm. UA/Alu	11313232515
28	1100V LT Control Cable with Stranded untinned copper conductor size 2Cx2.5 sq.mm. Armoured	11313306065
29	1100V LT Control Cable with Stranded untinned copper conductor size 4x2.5Sq.mm Armoured	11313331095
30	C.CBL.1.1KV Cu..Arm..4X2.5 Sq.mm.	11313334015
31	1100V LT Control Cable with Stranded untinned copper conductor size 7x2.5Sq.mm Armoured	11313338005
32	C.CBL.1.1KV,Cu.Arm.10x2.5Sq.mm	11313341055
33	1100V LT Control Cable with Stranded untinned copper conductor size 12x2.5Sq.mm Armoured	11313346015
34	C.CBL.1.1KV,Cu.Arm.14x2.5Sq.mm	11313351015
35	C.CBL.1.1KV,Cu.Arm.16x2.5Sq.mm	11313356085
36	C.CBL.1.1KV,Cu.Arm.19x2.5Sq.mm	11313361085
37	C.CBL.1.1KV.Al.Arm.2x10 Sq.mm.	11313407505
38	Cntl.Cable 4C x10Sqmm. Alu/Arm	11313432525
39	1100 VOLTS GRADE L.T.PVC CABLE 2C X 16SQ.MM. AL.ARMoured	11413408045
40	1100 VOLTS GRADE L.T.PVC CABLE 3.5C X 35SQ.MM. AL.ARMoured	11413421065
41	1100 VOLTS GRADE L.T.PVC CABLE 3.5C X 50SQ.MM. AL.ARMoured	11413421575
42	1100 VOLTS GRADE L.T.PVC CABLE 4C X 16SQ.MM. AL.ARMoured	11413433075

43	1100 Volt Grade Solid Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 1.5 sq.mm.Twin Core Flat as per IS 694/1990 amended upto date and as per MSEDCL technical specification Annexure D and bearing ISI mark	11414205577
44	1100 Volt Grade Solid Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 2.5 sq.mm.Twin Core Flat conforming to IS 694/1990 amended upto date and as per MSEDCL technical specification Annexure D and bearing ISI mark	11414206037
45	1100 Volt Grade stranded Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 4 sq.mm.Twin Core Flat with 3 strands conforming to IS 694/1990 amended upto date and as per MSEDCL technical specification Annexure D and bearing ISI mark	11414206547
46	1100 Volt Grade stranded Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 10 sq.mm.Twin Core Flat with 7 strands conforming to IS 694/1990 amended upto date	11414207517
47	LT POWER CABLE AR AL 2CX50SQMM	11413409015
48	XLPE CABLE LT ALARD 1Cx630 SQMM	11212405285
49	HT XLPE Cable 22 KV, 3CX185 Sq.MM	11244245815
50	33 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM	11252420025
51	22 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM	11252420375
52	11 KV H.T. TR XLPE CABLE 3 CORE 95 SQ.MM	11252420615
53	11 KV H.T. TR XLPE CABLE 3 CORE 185 SQ.MM	11252421695
54	11 KV H.T. TR XLPE CABLE 3 CORE 240 SQ.MM	11252421775
55	11 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM	11252421855
56	22 KV H.T. TR XLPE CABLE 3 CORE 185 SQ.MM	11252421185
57	LT XLPE UNARMoured 1 C X 50 SQMM CABLE	11214207125

PAST-PERFORMANCE

ITEM-NAME	HT XLPE CABLE 11KV 3C X 300 SQMM
FIRM-NAME	VIJAI ELECTRICALS LIMITED
ORDER-NO	VEL/FINECAB/PO/09567
ISSUE-DATE	24-JUL-2010
COMPLETION-DATE	17-AUG-2010
QUANTIY-SUPPLIED	5
CERTIFICATE	
REFERENCE-1	
REFERENCE-2	
ITEM-NAME	HT XLPE CABLE 22KV 3C X 300 SQMM
FIRM-NAME	VIJAI ELECTRICALS LIMITED
ORDER-NO	VEL/FINECAB/PO/09567
ISSUE-DATE	24-JUL-2010
COMPLETION-DATE	27-AUG-2010
QUANTIY-SUPPLIED	8
CERTIFICATE	
REFERENCE-1	
REFERENCE-2	
ITEM-NAME	L T XLPE Cable 3.5x300Sq.mm.Arm
FIRM-NAME	KALPATARU POWER TRANSMISSION LIMITED
ORDER-NO	KPTL/FCWPL/HYD/007
ISSUE-DATE	11-MAR-2010

COMPLETION-DATE	08-APR-2010
QUANTIY-SUPPLIED	16
CERTIFICATE	
REFERENCE-1	
REFERENCE-2	

PAYMENT-DETAILS	
MODE	C (D=Demand Draft,C=Cash)
DD-NO	
MICR-CODE	
DD-DATE	
AMOUNT	25000
BANK	
BRANCH	

ISI-LICENSES	
LICENSE-NO	CM/L-1901952
LICENSE-ISSUE-DATE	16-JUN-1998
LICENSE-VALIDITY-DATE	15-NOV-2012
LICENSE	
ITEMS-CODE	11313156075
ITEM-NAME	Cntl.Cable 16C x2.5 Sqmm.Cu/UA
ITEMS-CODE	11313432525
ITEM-NAME	Cntl.Cable 4C x10Sqmm. Alu/Arm
ITEMS-CODE	11413408045
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 2C X 16SQ.MM. AL.ARMoured
ITEMS-CODE	11313131085
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 4C x 2.5 sq.mm. unarmoured
ITEMS-CODE	11313407505
ITEM-NAME	C.CBL.1.1KV.AL.Arm.2x10 Sq.mm.
ITEMS-CODE	11313138095
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 7C x 2.5 sq.mm. unarmoured
ITEMS-CODE	11313141045
ITEM-NAME	C.CBL,1.1KV,Cu.UA 10x2.5 Sq.mm
ITEMS-CODE	11313331095
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 4x2.5Sq.mm Armoured
ITEMS-CODE	11313334015
ITEM-NAME	C.CBL.1.1KV Cu..Arm..4X2.5 Sq.mm.
ITEMS-CODE	11313351015
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.14x2.5Sq.mm
ITEMS-CODE	11413421575
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 3.5C X 50SQ.MM. AL.ARMoured
ITEMS-CODE	11313338005

ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 7x2.5Sq.mm Armoured
ITEMS-CODE	11313361085
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.19x2.5Sq.mm
ITEMS-CODE	11413421065
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 3.5C X 35SQ.MM. AL.ARMoured
ITEMS-CODE	11313151015
ITEM-NAME	C.CBL,1.1KV,Cu.UA 14x2.5 Sq.mm
ITEMS-CODE	11313207595
ITEM-NAME	Cntl.Cable 2C x10 Sqmm.UA/Alu.
ITEMS-CODE	11313306065
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 2Cx2.5 sq.mm. Armoured
ITEMS-CODE	11313346015
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 12x2.5Sq.mm Armoured
ITEMS-CODE	11413433075
ITEM-NAME	1100 VOLTS GRADE L.T.PVC CABLE 4C X 16SQ.MM. AL.ARMoured
ITEMS-CODE	11313161075
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 19Cx2.5 sq.mm. Unarmoured
ITEMS-CODE	11313232515
ITEM-NAME	Cntl.Cable 4C x10 Sqmm. UA/Alu
ITEMS-CODE	11313136045
ITEM-NAME	1100V LT Control Cable with stranded untinned copper conductor size 2C x 2.5 sq.mm. unarmoured
ITEMS-CODE	11313146015
ITEM-NAME	1100V LT Control Cable with Stranded untinned copper conductor size 12Cx2.5 sq.mm. Unarmoured
ITEMS-CODE	11313356085
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.16x2.5Sq.mm
ITEMS-CODE	11313134005
ITEM-NAME	C.CBL,1.1KV,Cu.UA 5x2.5 Sq.mm.
ITEMS-CODE	11313341055
ITEM-NAME	C.CBL.1.1KV,Cu.Arm.10x2.5Sq.mm
LICENSE-NO	CM/L-6550469
LICENSE-ISSUE-DATE	24-FEB-2006
LICENSE-VALIDITY-DATE	15-FEB-2013
LICENSE	
ITEMS-CODE	11212426015
ITEM-NAME	L T XLPE Cable 3.5x300Sq.mm.Arm
ITEMS-CODE	11214207125
ITEM-NAME	LT XLPE UNARMoured 1 C X 50 SQMM CABLE
ITEMS-CODE	11212424075
ITEM-NAME	L T XLPE Cable 3.5x185Sq.mm.Arm
ITEMS-CODE	11212422025
ITEM-NAME	L T XLPE Cable 3.5x70 Sq.mm.Arm
ITEMS-CODE	11212425045

ITEM-NAME	LT,XLPE Cable 3.5x240Sq.mm.Arm
ITEMS-CODE	11212423005
ITEM-NAME	L T XLPE Cable 3.5x120Sq.mm.Arm
ITEMS-CODE	11212405015
ITEM-NAME	L.T.XLPE Cable Single C,400SM.
LICENSE-NO	CM/L-6530160
LICENSE-ISSUE-DATE	21-OCT-2005
LICENSE-VALIDITY-DATE	15-OCT-2012
LICENSE	
ITEMS-CODE	11252421775
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 240 SQ.MM
ITEMS-CODE	11232418075
ITEM-NAME	HT XLPE CABLE 11KV 3C X 300 SQMM
ITEMS-CODE	11252418045
ITEM-NAME	HT XLPE CABLE 33KV 3C X 300 SQMM
ITEMS-CODE	11252421695
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 185 SQ.MM
ITEMS-CODE	11232417515
ITEM-NAME	HT XLPE CABLE 11KV 3C X 240 SQMM
ITEMS-CODE	11242417545
ITEM-NAME	HT XLPE CABLE 22KV 3C X 240 SQMM
ITEMS-CODE	11244245815
ITEM-NAME	HT XLPE Cable 22 KV, 3CX185 Sq.MM
ITEMS-CODE	11252421185
ITEM-NAME	22 KV H.T. TR XLPE CABLE 3 CORE 185 SQ.MM
ITEMS-CODE	11252420025
ITEM-NAME	33 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM
ITEMS-CODE	11232415565
ITEM-NAME	HT XLPE CABLE 11KV 3CORE X 95 SQMM
ITEMS-CODE	11252420375
ITEM-NAME	22 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM
ITEMS-CODE	11232414085
ITEM-NAME	HT XLPE CABLE 11KV 3C X 50 SQMM
ITEMS-CODE	11232416535
ITEM-NAME	HT XLPE CABLE 11KV 3C X 185 SQMM
ITEMS-CODE	11232418585
ITEM-NAME	HT XLPE CABLE 11KV 3C X 400 SQMM
ITEMS-CODE	11242418015
ITEM-NAME	HT XLPE CABLE 22KV 3C X 300 SQMM
ITEMS-CODE	11252421855
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 300 SQ.MM
ITEMS-CODE	11242415505
ITEM-NAME	HT XLPE CABLE 22KV 3C X 95 SQMM
ITEMS-CODE	11252420615
ITEM-NAME	11 KV H.T. TR XLPE CABLE 3 CORE 95 SQ.MM
LICENSE-NO	CM/L-6161458
LICENSE-ISSUE-DATE	25-NOV-1998

LICENSE-VALIDITY-DATE	15-NOV-2012
LICENSE	
ITEMS-CODE	11414206037
ITEM-NAME	1100 Volt Grade Solid Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 2.5 sq.mm.Twin Core Flat conforming to IS 694/1990 amended uptodate and as per MSEDCL technical specification Annexure D and bearing ISI mark
ITEMS-CODE	11414206547
ITEM-NAME	1100 Volt Grade stranded Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 4 sq.mm.Twin Core Flat with 3 strands conforming to IS 694/1990 amended uptodate and as per MSEDCL technical specification Annexure D and bearing ISI mark
ITEMS-CODE	11414205577
ITEM-NAME	1100 Volt Grade Solid Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 1.5 sq.mm.Twin Core Flat as per IS 694/1990 amended uptodate and as per MSEDCL technical specification Annexure D and bearing ISI mark
ITEMS-CODE	11414207517
ITEM-NAME	1100 Volt Grade stranded Aluminium conductor, PVC insulated, Colour coded, laid up, PVC sheathed weather proof cable 10 sq.mm.Twin Core Flat with 7 strands conforming to IS 694/1990 amended uptodate