

**SOUTHERN POWER DISTRIBUTION COMPANY OF A.P. LIMITED**

**TIRUPATI**

From

The Chief General Manager,  
P&MM  
APSPDCL,  
19-13-65/A,  
Kesavayana Gunta  
Ph:0877-2284109, Extn.200  
Fax: 0877-2284111.

To

M/s.Finecab Wires & Cables Pvt. Ltd.,  
2-3-465/7, Minister Road,  
Secunderabad – 500 003.  
Telangana  
Ph:040-27818908, 27816588, Fax:040-27721916

Lr.No.CGM/P&MM/SPDCL/VR/CI-103-18/16-17/P5/D.No.2061/16,dt:24-05-16

Sir,

Sub: SPDCL – P&MM – TPT – Registration of your firm as approved vendor for supply of Power Cables, Control Cables and AB Cable upto 11KV - Issued -Reg.

Ref : 1. Lr.No.CGM/P&MM/SPDCL/P5/D.No.1377/16,dt:04-05-2016  
2. Lr.No.ADE/CSC/TPT/D.No. camp/16,dt:08-05-16

\* \* \*

Referring to the above, your firm is registered as an approved vendor in APSPDCL for supply of Power Cables, Control Cables and AB Cable upto 11KV registered as VR/CI-103-18/2016-17.

The registration is subjected to the following conditions.

- 1) The APSPDCL reserves the right to cancel your registration at any time without any reasons.
- 2) It is noted that you are a **Manufacturer** for the above materials
- 3) The registration will be valid for a period of two years i.e., up to **22-05-2018**
- 4) For considering renewal of vendor registration, you have to remit non refundable renewal fee of Rs.500/- per each item in the shape of DD drawn in favour of Accounts Officer/CPR/ APSPDCL/Tirupati along with your performance of supplies with APSPDCL before (6) months of the expiry of validity period of Vendor Registration.
- 5) You have to super scribe this letter reference on the tender cover to be submitted in future to APSPDCL.

The receipt of this letter may be acknowledged.

Yours sincerely

**for CHIEF GENERAL MANAGER/P&MM  
APSPDCL :: TIRUPATI**

Copy to Chief Engineer/Zone/Vijayawada, Tirupati & Kurnool  
Copy to Chief General Manager/P&MM/APEPDCL/Visakhapatnam.  
Copy to Chief General Manager/Projects/APSPDCL/C.O./Tirupati  
Copy to Chief General Manager/Expenditure & Costing /APSPDCL/Tirupati.  
Copy to General Manager/Internal Audit /APSPDCL/Tirupati  
Copy to General Manager/Expenditure/APSPDCL/Tirupati  
Copy to Superintending Engineer/Operation/Vijayawada, Guntur, Ongole, Nellore, Tirupati  
Kadapa, Ananthapur & Kurnool